







## INSTALLATION INSTRUCTIONS 05+ TACOMA PRERUNNER/4WD HEIMED U.C.A. 03+ 4RUNNER/07+ FJ CRUISER HEIMED U.C.A.

DATE: 3/6/2009 REV.: 96504H SCALE: N.T.S. PAGE: 4 OF 4 **DRAWN: SW** 

03

4

## **INSTALLATION NOTES**

The factory manual is required for torgue specifications on all factory hardware. This procedure will involve the removal and re-installation of many parts. Always use factory replacements for worn or damaged parts.

Some items are not shown for clarity.

Page 3 Torque Item# 5 to 100 ft/lbs.

## PARTS LIST: 05+ TACO/FJ/4RUN UPPER CONTROL ARM

ITEM #	PART #	QTY.	ITEM DESCRIPTION
1	99654LH	1	CONTROL ARM, HEMED UPPER LEFT
	99654RH	1	CONTROL ARM, HEMED UPPER RIGHT
2	JMX12T	4	HEIM, 3/4" x 3/4" RHT
3	11373	4	JAM NUT, 3/4" HEM
4	99868	8	SPACER, UPPER CONTROL ARM HEM
5	10251	2	BOLT, 9/16" x 5.00L
6	12203	2	WASHER, 9/16" AN
7	100916	2	SPACER, 9/16" MISALIGNMENT
8	10034TCF	2	SPACER, 3/4" MISALIGNMENT
9	30004	2	SLEEVE, 9/16" TAPERED ADAPTER
10	12204	2	WASHER, 9/16" SAE
11	11202	2	NUT, 9/16" C-LOCK

Inspect all components and re-torgue all hardware within 500 miles.

**TOTAL CHAOS Fabrication Inc.** 159 North Maple St. Unit J Corona, CA 92880 951.737.9682

## PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TOTAL CHAOS FABRICATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TOTAL CHAOS FABRICATION IS PROHIBITED.